



WX ECONOMIC FILTER CARTRIDGES

Ultra-Fine Glass Fiber Media Filters for Hydraulic Oil Filtration

WX ECONOMIC FILTER CARTRIDGES

ULTRA-FINE GLASS FIBER MEDIA FILTERS FOR HYDRAULIC OIL FILTRATION


Cobbetter WX Economic Filter Cartridges use high performance, ultra-fine glass fiber media which results in high filtration efficiency (99.9% efficient at rated pore size, Beta Ratio (β) \geq 1000, meeting ISO Standard 16889) and ensures the cleanliness the oil.


FEATURE	BENEFIT
Ultra-Fine Glass Filter Media	Graded pore size with coarse (upstream) to fine (downstream) distribution provides high contaminant holding capacity and extends the filter's service life
	3-D structure improves flow rate and reduces pressure loss
Coreless Filter Design	Coreless filter design reduces filter cost

SPECIFICATIONS

Filter Media	Ultra-Fine Glass Fiber Available in single-layer or double-layer.
End Cap	Polyoxymethylane (POM)
Cage	Polyester
Max. Operating Temperature	MBR Seal Material: -43°C to 107°C FKM Seal Material: -29°C to 120°C High Water-Content Fluid (HWCF)/Water-Glycol: 60°C
Max. Differential Pressure	1.0 MPa (10 bar, 145 psi) at 25°C









BannerIndustries exclusive distributor for cobetter products in the usa

WX FLOW INFORMATION



WX ORDERING INFORMATION

EXAMPLE: CF8314M0250S13V = Model CF8314, moderate pressure, 2.5 µm single-layer, 13", FKM seals



*Refer to model table on previous page for applicable sizes.

BannerIndustries

BANNER INDUSTRIES IS THE EXCLUSIVE DISTRIBUTOR FOR COBETTER PRODUCTS IN THE USA Visit www.bannerindustries.com and select the Contact Us link to find the location nearest you. The Banner Industries of N.E., Inc. Terms and Conditions of Sale apply and are fully and expressly incorporated herein by reference and constitute a part of any contract for the purchase of the products described herein.