Glove Liners





Glove liners, also known as under gloves, makes wearing a cleanroom glove more comfortable to the operator.

They can also double as an excellent inspection glove. Valutek glove liners are constructed of a breathable, 13-gauge, 100% virgin nylon knit, providing a comfortable buffer of air between the operator's skin and the glove.

Independent studies have shown that glove liners will:

- Reduce the number of glove changes per day because operators' hands will not get that sticky feeling from direct contact glove.
- Eliminate operator downtime due to skin irritations and dermatitis caused by wearing glove alone.
- Increase productivity. Because happy operators are more likely to follow protocols.

All Valutek glove liners are packaged in poly bags with a carton liner in Microtek carton boxes. They are controlled environment compatible, part number and lot number traceable.







Half Finger Nylon Glove Liners

- Non-linting, 100% knitted virgin nylon material limits skin irritation caused by direct contact with glove material
- Half finger design

Part Number

- Lightweight, durable and comfortable
- Universal size and ambidextrous shape for easy stock control

This glove liner is recommended for use in cleanroom Class 100-1000 (ISO 5-6) critical environment. Wearing under latex, PVC or nitrile gloves for operator skin protection and hand comfortability.

Color

| <u>VTGNLR-1/2</u> | Universal | White | 12 pairs/bag, 35 bags/case | 420 ea/case |
|-------------------|-----------|-------|----------------------------|-------------|
| | | | | |
| | | | | |

Packaging

Full Finger Nylon Glove Liners

Size

- Non-linting, 100% knitted virgin nylon material limits skin irritation caused by direct contact with glove material
- Full finger design
- Lightweight, durable and comfortable
- Universal size and ambidextrous shape for easy stock control

This glove liner is recommended for use in cleanroom Class 100-1000 (ISO 5-6) critical environment. Wearing under latex, PVC or nitrile gloves for operator skin protection and hand comfortability.







Total/Case

MicroTek

ISO 5-6 (Class 100- 1.000)



