NANOCHEM® Purification Media

NANOCHEM® purification media have long been the industry standards for purifying inert gases, such as nitrogen, argon, and sulfur hexafluoride, as well as reactive gases, such as hydrogen, hydrocarbons, and hydride gases (including ammonia, silane, arsine and phosphine). Applications include biotech, chemical

processing, aerospace, analytical, petroleum refining, and semiconductor / compound semiconductor processes, including low temperature SiGe Epi, SiN and GaN MOCVD processes. Over twelve (12) different purification media are available to purify about 37 different gases.

NANOCHEM® Media -- Gases Purified & Specifications

GASES PURIFIED	CHEMICAL FORMULA	PURIFICATION MEDIUM	PURIFICATION MEDIUM DESCRIPTION	IMPURITIES REMOVED	EFFICIENCY	END POINT DETECTION
Inerts						
Nitrogen	N_2	OMX-Plus™	Reactive agents on a polymeric support w/ inorganic agent for NMHC removal	H ₂ O, O ₂ , CO ₂ , THC except CH ₄ Halocarbons except CF ₄	< 100 ppt, LDL	DC only
Argon	Ar He Xe Kr Ne			CO at Low Flow	< 1 ppb	
Helium Xenon Krypton		HCX™	High surface area inorganic medium	Hydrocarbons except CH ₄ Halocarbons except CF ₄	< 100 ppt, LDL	Not available
Neon		In2Go TM	Reactive agents on an inorganic support		< 100 ppt, LDL	DC only
Flammables - Partial List						
Methane Ethane Cyclopropane	CH ₄ C ₂ H ₆ C ₃ H ₆	OMX-Plus™	Reactive agents on a polymeric support w/inorganic agent for NMHC removal	THC except CH ₄ Halocarbons except CF ₄	< 100 ppt, LDL	DC only
Propane	C ₃ H ₈			CO at Low Flow	< 1 ppb	
Butane	$C_{4}H_{10}$	OMX TM	Reactive agents on a polymeric support	H ₂ O, O ₂ , CO ₂ CO at Low Flow	< 100 ppt, LDL < 1 ppb	DC only
Hydrogen Deuterium	H ₂ D ₂	OMX-Plus™	Reactive agents on a polymeric support w/inorganic agent for NMHC removal	H ₂ O, O ₂ , CO ₂ , THC except CH ₄ Halocarbons except CF ₄	< 100 ppt, LDL	DC only
				CO at Low Flow	< 1 ppb	
		HCX™	High surface area inorganic medium	Hydrocarbons except CH ₄ , Halocarbons except CF ₄	< 100 ppt, LDL	Not available
		In2Go TM	Reactive agents on an inorganic support		< 100 ppt, LDL	DC only
Please contact customer ser		ammables, that ca	n be purified.			
Halocarbons - Partial Lis		0) #/ = 1				-
Carbon Tetrafluoride	CF ₄	OMX-Plus™	Reactive agents on a polymeric support w/inorganic agent for NMHC removal	H ₂ O, O ₂ , CO ₂ THC except CH ₄ & Other Halocarbons CO at Low Flow	< 100 ppt, LDL	DC only
Hexafluoroethane	C_2F_6	OMX TM	Reactive agents on a polymeric support	H ₂ O, O ₂ , CO ₂	< 1 ppb < 100 ppt, LDL < 1 ppb	DC only
Perfluoropropane	C ₃ F ₈	OMX TM	Reactive agents on a polymeric support		< 100 ppt, LDL	DC only
Please contact customer ser	0 0	alocarbons, that ca			**	· · · ·

ppb = Part per billion

ppt = Part per trillion

THC = *Total Hydrocarbons*

LDL = *Lower Limit of Detection by state-of-the-art analytical instrumentation.*

Please contact customer service for other gases not included in this list



NANOCHEM® Media -- Gases Purified & Specifications (continued)

GASES PURIFIED	CHEMICAL FORMULA	PURIFICATION MEDIUM	PURIFICATION MEDIUM DESCRIPTION	IMPURITIES REMOVED	EFFICIENCY	END POINT DETECTION
Hydrides						
Ammonia	NH3	In2Go™	Reactive agents on an inorganic support		< 10 ppb, LDL	DC only
				CO ₂	< 11 ppb, LDL	
				O_2	< 5 ppb, LDL	
				GeH₄	< 1 ppb, LDL	
				SiH₄	< 1 ppb, LDL	
				TEOS	< 40 ppb, LDL	
		OMATM	Reactive agents on a polymeric support	H ₂ O, O ₂ , CO ₂ in inert	< 100 ppt, LDL	DC only
				gas		
				H ₂ O in ammonia	< 10 ppb, LDL	
Silane	SiH ₄	OMX TM	Reactive agents on a polymeric support	H_2O , O_y CO_y CO	< 100 ppt, LDL	DC only
Arsine	AsH ₃	ASX-II TM	High surface area inorganic medium	< 75 ppb H ₂ O ir	n AsH ₃ , LDL	Not available
Phosphine	PH ₃	PHX^{TM}	Reactive agents on an inorganic support			Not available
Germane	GeH,	Desicore™	Reactive agents on an inorganic support			Not available
Hydride/Inert Mixes (N2,	Ar, He, Xe, Kr,	, Ne, & H₂)			•	'
1-10% Arsine	AsH ₃	OMX TM	Reactive agents on a polymeric support	$H_2O_1O_2$, CO_2	< 1 ppb	Not available
1-10% Germane	GeH,		0 1 3 11	- · · · · ·	11	
1-10% Phosphine	PH ₃					
Corrosives	, ,	1				
Boron Trichloride	BCl ₃					
Chlorine	Cl ₂					
Silicon Tetrachloride	SiCl ₄		TP 1 1/1 (11.0 .100	1 101	
Trichlorosilane	SiHCl ₃	Metal-X™	High purity high surface area inorganic	$H_2O < 100 \text{ p}$		Not available
Dichlorosilane	SiH ₂ Cl ₂		medium	Volatile Metals-Fe, N	10, Cr, 11, N1, Mn	
Hydrogen Bromide	HBr					
Hydrogen Chloride	HC1					
Hydrogen Fluoride	HF	CleanCorr™	High high surface area inorganic medium	H₂O < 2 ppm, LDL		Not available
Others						
Carbon Monoxide	CO	Metal-X™	High purity high surface area inorganic	$H_2O < 100$ ppb, LDL		Not available
Nitric Oxide	NO		medium	Volatile Metals-Fe, Mo, Cr, Ti, Ni, Mn		
-	1	OPXTM	High surface area inorganic medium	H ₂ O	< 10 ppb	Not available
Carbon Dioxide	CO,	HCXTM	High surface area inorganic medium	Hydrocarbons	< 100 ppt, LDL	Not available
Nitrous Oxide	N ₂ O	_	9 9	except CH ₄	11 '	1 tot a variable
	1,20			Halocarbons except CF ₄		
Oxygen	O ₂	OPX	High surface area inorganic medium	H ₂ O	< 10 ppb	Not available
Dimethyl Ether	(CH ₃) ₂ O	OMX TM	Reactive agents on a polymeric support	H_2O , O_2 , CO_2	< 100 ppt, LDL	DC only
Sulfur Hexafluoride	SF ₆	OMSTM	Reactive agents on a polymeric support	H_2O, O_2	< 10 ppb, LDL	DC only
Acetylene	C_2H_2	AcetyClean™	High high surface area inorganic	H ₂ O	< 1 ppm, LDL	Not available
<i>y</i>		,	medium	_	11 '	

ppm = Part per million

ppb = Part per billion

ppt = Part per trillion

THC = *Total Hydrocarbons*

LDL = *Lower Limit of Detection by state-of-the-art analytical instrumentation.*

Please contact customer service for other gases not included in this list

Equipment Technology Center

166 Keystone Drive

Montgomeryville, PA 18936

Tel: 800-828-4313 • Fax: 215-619-0458

Email: Info@mathesongas.com

